

IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA

CHARLESTON DIVISION

IN RE: ETHICON INC.
PELVIC REPAIR SYSTEMS
PRODUCT LIABILITY LITIGATION

MDL No. 2327

THIS DOCUMENT RELATES TO:

Cases Identified in Exhibit A
attached hereto

ORDER ADOPTING
MEMORANDUM OPINION AND ORDER
(*Daubert* ruling re: Anne M. Weber, M.D.)

Pending before the court is the defendants' Motion to Exclude Anne M. Weber, M.D. [ECF No. 3599] filed on April 12, 2017. For reasons appearing to the court, the court **ORDERS** that the Memorandum Opinion and Order (*Daubert* Motion re: Anne M. Weber, M.D.) [ECF No. 2737] ("Prior Order") entered on September 8, 2016, as to the Ethicon Wave 1 cases is **ADOPTED** in the Wave 4 cases identified in Exhibit A.¹ The Prior Order is attached hereto as Exhibit B.

Importantly, the court notes that the expert opinions proffered in Wave 1 are in almost every respect identical to those proffered here. The court has found, however, that with each entered Order, the experts in these cases attempt to bolster or fine-tune the support for their opinions, but the opinions themselves do not change. Accordingly, the court will refrain from engaging in the extremely inefficient practice of continuously reexamining the qualifications, reliability, and relevance of dozens of experts and their

¹ On Exhibit A, I have marked through cases that are closed, on the inactive docket, not in Wave 4, could not be identified because of an error in the style or case number, or assigned to another District Judge.

numerous opinions. While the parties continue to challenge even the slightest alteration to the underlying support for an expert's opinion, the court's review of the parties' arguments reveals that these refreshed *Daubert* challenges are different from previous arguments by only the very slightest of degrees. The court **FINDS** that to the extent that the parties raise arguments not previously addressed by the court's Prior Order, the trial judge may easily resolve these issues at trial without the need for further briefing or an evidentiary hearing. Accordingly, the court **ORDERS** that to the extent that the parties raise *Daubert* challenges not previously addressed in the court's Prior Order—fully adopted herein—those challenges are **RESERVED for trial**.

The court **DIRECTS** the Clerk to file a copy of this Order Adopting Memorandum Opinion and Order in 2:12-md-2327 and in the Ethicon Wave 4 cases identified in the Exhibit attached hereto.

ENTER: July 19, 2018



JOSEPH R. GOODWIN
UNITED STATES DISTRICT JUDGE

**UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF WEST VIRGINIA
AT CHARLESTON**

IN RE: ETHICON, INC., PELVIC REPAIR SYSTEM PRODUCTS LIABILITY LITIGATION <hr/> ETHICON WAVE 4 CASES LISTED IN THIS EXHIBIT	Master File No. 2:12-MD-02327 MDL No. 2327 Joseph R. Goodwin UNITED STATES DISTRICT JUDGE
--	--

Exhibit A to Defendants' Motion to Exclude Anne M. Weber, M.D.

List of Applicable Cases

Case Name	Case Number	Product(s)
Berry, Brenda L. (Taylor)	2:12cv04811	Prolift +M; TVT Secur ¹
Thomson Roy, Jeannae	2:12cv04586	Prolift; TVT Obturator
Christopherson, Verla M.	2:12cv04365	Prolift; TVT Obturator
Duffy, Sharon	2:12cv05529	Prolift; TVT
Griffin, Tamika	2:12cv04331	Prolift; TVT Obturator
Paul, Claudine & Jack Gary	2:12cv04808	Prolift

*** Defendants reserve the right to supplement this list should any plaintiff designate Dr. Weber as a general expert in MDL Wave 4.**

¹ Defendants object to Dr. Weber's designation in the *Berry* case, which only involves Prolift +M and TVT Secur, products for which Dr. Weber has not offered an expert report.

IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA

CHARLESTON DIVISION

IN RE: ETHICON, INC.
PELVIC REPAIR SYSTEMS
PRODUCT LIABILITY LITIGATION

MDL No. 2327

THIS DOCUMENT RELATES TO:

Cases Identified in the Exhibit
Attached Hereto

MEMORANDUM OPINION AND ORDER
(*Daubert* Motion re: Anne M. Weber, M.D.)

Pending before the court is the Motion to Exclude Anne M. Weber, M.D. [ECF No. 2059] filed by defendants Johnson & Johnson and Ethicon, Inc. (collectively “Ethicon”). The Motion is now ripe for consideration because briefing is complete.

I. Background

This case resides in one of seven MDLs assigned to me by the Judicial Panel on Multidistrict Litigation concerning the use of transvaginal surgical mesh to treat pelvic organ prolapse (“POP”) and stress urinary incontinence (“SUI”). In the seven MDLs, there are more than 75,000 cases currently pending, approximately 30,000 of which are in this MDL.

In this MDL, the court’s tasks include “resolv[ing] pretrial issues in a timely and expeditious manner” and “resolv[ing] important evidentiary disputes.” Barbara J. Rothstein & Catherine R. Borden, Fed. Judicial Ctr., *Managing Multidistrict Litigation in Products Liability Cases* 3 (2011). To handle motions to exclude or to

limit expert testimony pursuant to *Daubert v. Merrell Dow Pharmaceuticals, Inc.*, 509 U.S. 579 (1993), the court developed a specific procedure. In Pretrial Order (“PTO”) No. 217, the court instructed the parties to file only one *Daubert* motion per challenged expert, to file each motion in the main MDL—as opposed to the individual member cases—and to identify which cases would be affected by the motion. PTO No. 217, at 4.¹

II. Preliminary Matters

Before plunging into the heart of the Motion, a few preliminary matters need to be addressed.

I am compelled to comment on the parties’ misuse of my previous *Daubert* rulings on several of the experts offered in this case. *See generally Sanchez v. Bos. Sci. Corp.*, No. 2:12-cv-05762, 2014 WL 4851989 (S.D. W. Va. Sept. 29, 2014); *Tyree v. Bos. Sci. Corp.*, 54 F. Supp. 3d 501 (S.D. W. Va. 2014); *Eghnayem v. Bos. Sci. Corp.*, 57 F. Supp. 3d 658 (S.D. W. Va. 2014). The parties have, for the most part, structured their *Daubert* arguments as a response to these prior rulings, rather than an autonomous challenge to or defense of expert testimony based on its reliability and relevance. In other words, the parties have comparatively examined expert testimony and have largely overlooked *Daubert*’s core considerations for assessing expert testimony. Although I recognize the tendency of my prior evidentiary determinations

¹ Ethicon identified the Wave 1 cases affected by this Motion in its attached Exhibit A [ECF No. 2059-1], which the court has attached to this Memorandum Opinion and Order. At the time of transfer or remand, the parties will be required to designate relevant pleadings from MDL 2327, including the motion, supporting memorandum, response, reply, and exhibits referenced herein.

to influence subsequent motions practice, counsels' expectations that I align with these previous rulings when faced with a different record are misplaced, especially when an expert has issued new reports and given additional deposition testimony.

Mindful of my role as gatekeeper for the admission of expert testimony, as well as my duty to "respect[] the individuality" of each MDL case, *see In re Phenylpropanolamine Prods. Liab. Litig.*, 460 F.3d 1217, 1231 (9th Cir. 2006), I refuse to credit *Daubert* arguments that simply react to the court's rulings in *Sanchez* and its progeny. Indeed, I feel bound by these earlier cases only to the extent that the expert testimony and *Daubert* objections presented to the court then are identical to those presented now. Otherwise, I assess the parties' *Daubert* arguments anew. That is, in light of the particular expert testimony and objections currently before me, I assess "whether the reasoning or methodology underlying the testimony is scientifically valid" and "whether that reasoning or methodology properly can be applied to the facts in issue." *Daubert*, 509 U.S. at 592–93. Any departure from *Sanchez*, *Eghnayem*, or *Tyree* does not constitute a "reversal" of these decisions and is instead the expected result of the parties' submission of updated expert reports and new objections to the expert testimony contained therein.

Finally, I have attempted to resolve all possible disputes before transfer or remand, including those related to the admissibility of expert testimony pursuant to *Daubert*. Nevertheless, in some instances I face *Daubert* challenges where my interest in accuracy counsels reserving ruling until the reliability of the expert testimony may be evaluated at trial. At trial, the expert testimony will be tested by

precise questions asked and answered. The alternative of live *Daubert* hearings is impossible before transfer or remand because of the numerosity of such motions in these seven related MDLs. As these MDLs have grown and the expert testimony has multiplied, I have become convinced that the critical gatekeeping function permitting or denying expert testimony on decisive issues in these cases is best made with a live expert on the witness stand subject to vigorous examination.

In the course of examining a multitude of these very similar cases involving the same fields of expertise, I have faced irreconcilably divergent expert testimony offered by witnesses with impeccable credentials, suggesting, to me, an unreasonable risk of unreliability. The danger—and to my jaded eye, the near certainty—of the admission of “junk science” looms large in this mass litigation.

The parties regularly present out-of-context statements, after-the-fact rationalizations of expert testimony, and incomplete deposition transcripts. This, combined with the above-described practice of recycling expert testimony, objections, and the court’s prior rulings, creates the perfect storm of obfuscation. Where further clarity is necessary, I believe it can only be achieved through live witness testimony—not briefing—I will therefore reserve ruling until expert testimony can be evaluated firsthand.

III. Legal Standard

By now, the parties should be intimately familiar with Rule 702 of the Federal Rules of Evidence and *Daubert*, so the court will not linger for long on these standards.

Expert testimony is admissible if the expert is qualified and if his or her expert testimony is reliable and relevant. Fed. R. Evid. 702; *see also Daubert*, 509 U.S. at 597. An expert may be qualified to offer expert testimony based on his or her “knowledge, skill, experience, training, or education.” Fed. R. Evid. 702. Reliability may turn on the consideration of several factors:

- (1) whether a theory or technique can be or has been tested;
- (2) whether it has been subjected to peer review and publication; (3) whether a technique has a high known or potential rate of error and whether there are standards controlling its operation; and (4) whether the theory or technique enjoys general acceptance within a relevant scientific community.

Cooper v. Smith & Nephew, Inc., 259 F.3d 194, 199 (4th Cir. 2001) (citing *Daubert*, 509 U.S. at 592–94). But these factors are neither necessary to nor determinative of reliability in all cases; the inquiry is flexible and puts “principles and methodology” above conclusions and outcomes. *Daubert*, 509 U.S. at 595; *see also Kumho Tire Co. v. Carmichael*, 525 U.S. 137, 141, 150 (1999). Finally, and simply, relevance turns on whether the expert testimony relates to any issues in the case. *See, e.g., Daubert*, 509 U.S. at 591–92 (discussing relevance and helpfulness).

At bottom, the court has broad discretion to determine whether expert testimony should be admitted or excluded. *Cooper*, 259 F.3d at 200.

IV. Discussion

Dr. Weber is a urogynecologist by training, but she has recently ceased active clinical practice. She has conducted clinical research on the treatment of prolapse.

Ethicon seeks exclusion of Dr. Weber’s testimony on “design and biomaterials

characteristics such as pore size, weight, effective porosity, degradation, and foreign body reaction.” Mem. 8 [ECF No. 2062]. Ethicon argues Dr. Weber is unqualified and has not applied a reliable methodology.

As to qualifications, Dr. Weber is a leading urogynecologist in clinical research for prolapse treatment. In 2007, Dr. Weber was selected by the American Congress of Obstetricians and Gynecologists to author a “practice bulletin” to guide gynecologists regarding best practices related to treating prolapse with mesh. Dr. Weber has authored over one hundred peer reviewed publications on the topic, and she was chosen to create and head a program at the National Institutes of Health to fund and research the treatment of POP. Dr. Weber is qualified to offer opinions regarding the material characteristics of POP mesh. Ethicon’s Motion on this point is **DENIED**.

As to reliability, Dr. Weber has extensively reviewed and relied upon the relevant scientific literature and has published her own peer reviewed research regarding the treatment of POP using polypropylene mesh. In the abstract, these are reliable bases on which to form an expert opinion. However, the court is unable to judge the reliability of Dr. Weber’s opinions without more information about her methodology as applied to Prolift specifically. Accordingly, I **RESERVE** ruling until further testimony may be offered and evaluated firsthand at trial.

Ethicon also challenges Dr. Weber’s qualifications to offer what it non-specifically characterizes as design opinions because she has never been involved in the design of a medical device or the safety assessment of a medical device. To the extent Dr. Weber offers opinions on the design process, such as product testing,

design protocols, and internal design requirements, I find she is unqualified to offer such testimony, her opinions are **EXCLUDED** and Ethicon's Motion is **GRANTED** on this limited issue.

Ethicon's remaining objections are addressed in the discussion of recurring issues below.

V. Recurring Issues

Many of the *Daubert* motions filed in this MDL raise the same or similar objections.

One particular issue has been a staple in this litigation, so I find it best to discuss it in connection with every expert. A number of the *Daubert* motions seek to exclude FDA testimony and other regulatory or industry standards testimony. To the extent this Motion raises these issues it is **GRANTED in part** and **RESERVED in part** as described below.

I have repeatedly excluded evidence regarding the FDA's section 510(k) clearance process in these MDLs, and will continue to do so in these cases, a position that has been affirmed by the Fourth Circuit. *In re C. R. Bard, Inc.*, 81 F.3d 913, 921–23 (4th Cir. 2016) (upholding the determination that the probative value of evidence related to section 510(k) was substantially outweighed by its possible prejudicial impact under Rule 403). Because the section 510(k) clearance process does not speak directly to safety and efficacy, it is of negligible probative value. *See In re C. R. Bard*, 81 F.3d at 920 (“[T]he clear weight of persuasive and controlling authority favors a finding that the 510(k) procedure is of little or no evidentiary value.”).

Delving into complex and lengthy testimony about regulatory compliance could inflate the perceived importance of compliance and lead jurors “to erroneously conclude that regulatory compliance proved safety.” *Id.* at 922. Accordingly, expert testimony related to the section 510(k) process, including subsequent enforcement actions and discussion of the information Ethicon did or did not submit in its section 510(k) application, is **EXCLUDED**. For the same reasons, opinions about Ethicon’s compliance with or violation of the FDA’s labeling and adverse event reporting regulations are **EXCLUDED**. In addition to representing inappropriate legal conclusions, such testimony is not helpful to the jury in determining the facts at issue in these cases and runs the risk of misleading the jury and confusing the issues. Insofar as this Motion challenges the FDA-related testimony discussed here, the Motion is **GRANTED**.

A number of experts also seek to opine on Ethicon’s compliance with design control and risk management standards. Some of this testimony involves the FDA’s quality systems regulations, and some—likely in an attempt to sidestep my anticipated prohibition on FDA testimony—involve foreign regulations and international standards. I find all of this proposed testimony of dubious relevance. Although these standards relate to how a manufacturer should structure and document risk assessment, the standards do not appear to mandate any particular design feature or prescribe the actual balance that must be struck in weighing a product’s risk and utility. Nor is it clear that the European and other international standards discussed had any bearing on the U.S. medical device industry when the

device in question was being designed.

Nevertheless, because the nuances of products liability law vary by state, I will refrain from issuing a blanket exclusion on design process and control standards testimony, whether rooted in the FDA or otherwise. Each standard must be assessed for its applicability to the safety questions at issue in this litigation, consistent with state law. I am without sufficient information to make these findings at this time. Accordingly, I **RESERVE** ruling on such matters until a hearing, where the trial judge will have additional context to carefully evaluate the relevance and potential prejudicial impact of specific testimony.

Similarly, I doubt the relevance of testimony on the adequacy of Ethicon's clinical testing and research, physician outreach, or particular product development procedures and assessments otherwise not encompassed by the above discussion. Again, such matters seem to say very little about the state of the product itself (i.e., whether or not it was defective) when it went on the market. But because the scope of relevant testimony may vary according to differences in state products liability law, I **RESERVE** ruling on such matters until they may be evaluated in proper context at a hearing before the trial court before or at trial.

Additional—and more broad—matters also warrant mention. While some of these concerns may not apply to this particular expert, these concerns are raised so frequently that they are worth discussing here.

First, many of the motions seek to exclude state-of-mind and legal-conclusion expert testimony. Throughout these MDLs, the court has prohibited the parties from

using experts to usurp the jury's fact-finding function by allowing testimony of this type, and I do the same here. *E.g.*, *In re C. R. Bard, Inc.*, 948 F. Supp. 2d 589, 611 (S.D. W. Va. 2013); *see also, e.g.*, *United States v. McIver*, 470 F.3d 550, 562 (4th Cir. 2006) (“[O]pinion testimony that states a legal standard or draws a legal conclusion by applying law to the facts is generally inadmissible.”); *In re Rezulin Prods. Liab. Litig.*, 309 F. Supp. 2d 531, 546 (S.D.N.Y. 2004) (“Inferences about the intent and motive of parties or others lie outside the bounds of expert testimony.”). Additionally, an expert may not offer expert testimony using “legal terms of art,” such as “defective,” “unreasonably dangerous,” or “proximate cause.” *See Perez v. Townsend Eng’g Co.*, 562 F. Supp. 2d 647, 652 (M.D. Pa. 2008).

Second, and on a related note, many of the motions seek to prohibit an expert from parroting facts found in corporate documents and the like. I caution the parties against introducing corporate evidence through expert witnesses. Although an expert may testify about his review of internal corporate documents solely for the purpose of explaining the basis for his or her expert opinions—assuming the expert opinions are otherwise admissible—he or she may not offer testimony that is solely a conduit for corporate information.

Third, many of the motions also ask the court to require an expert to offer testimony consistent with that expert's deposition or report or the like. The court will not force an expert to testify one way or another. To the extent an expert offers inconsistent testimony, the matter is more appropriately handled via cross-examination or impeachment as appropriate and as provided by the Federal Rules of

Evidence.

Fourth, in these *Daubert* motions, the parties have addressed tertiary evidentiary matters like whether certain statements should be excluded as hearsay. The court will not exclude an expert simply because a statement he or she discussed may constitute hearsay. *Cf. Daubert*, 509 U.S. at 595. Hearsay objections are more appropriately raised at trial.

Finally, in some of the *Daubert* motions, without identifying the expert testimony to be excluded, the parties ask the court to prevent experts from offering other expert testimony that the moving party claims the expert is not qualified to offer. I will not make speculative or advisory rulings. I decline to exclude testimony where the party seeking exclusion does not provide specific content or context.

VI. Conclusion

The court **GRANTS in part, DENIES in part, and RESERVES in part** the Motion to Exclude Anne M. Weber, M.D. [ECF No. 2059].

The court **DIRECTS** the Clerk to file a copy of this Memorandum Opinion and Order in 2:12-md-2327 and in the Ethicon Wave 1 cases identified in the Exhibit attached hereto.

ENTER: September 8, 2016



JOSEPH R. GOODWIN
UNITED STATES DISTRICT JUDGE

Exhibit A

**UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF WEST VIRGINIA
AT CHARLESTON**

IN RE: ETHICON, INC., PELVIC REPAIR SYSTEM PRODUCTS LIABILITY LITIGATION THIS DOCUMENT RELATES TO ETHICON WAVE 1 CASES	Master File No. 2:12-MD-02327 MDL No. 2327 Joseph R. Goodwin UNITED STATES DISTRICT JUDGE
---	--

Exhibit A to Defendants' Motion to Exclude Anne M. Weber, M.D.

List of Applicable Cases

Case Name	Case Number	Product(s)
Clayton, Melissa & Charles	2:12-cv-00489	Prolift
Loustaunau, Donna	2:12-cv-00666	Prolift

* Defendants reserve the right to supplement this list should any plaintiff designate Dr. Weber as a general expert in MDL Wave 1.